

Inteligentna Elektronika

Ul. Raduńska 36A
83-333 Chmielno

Tel.: +48 730 90 60 90

E-mail: info@centrumprojekcji.pl



Nazwa **Monitor BENQ CS7501 (9H.F74TC.DA2)**

Cena **17 900,00 zł**

Producent **BenQ**

OPIS PRODUKTU

Specyfikacje

Panel

Screen Size

75"

Backlight / Lightsource

DLED

Contrast Ratio (Typical)

1200:1

Viewing Angle (Horizontal / Vertical)

178°/178°

Response Time (ms)

8

Color Gamut (x% NTSC)

72%

Display Orientation

Landscape

Resolution (Pixel)

UHD 3840 x 2160

Brightness (Typical) (nits)

450

Light Life (typical) (hrs)

30,000

Panel Surface

AG, Haze 25%

Speaker

Internal Speaker

10Wx2

Input/Output

Power (AC) Input

x1

VGA Input

x1

HDMI Input

x3

HDMI Output

x1

USB Player (Photo, Video)

2.0x3, 3.0x3 (OPS follow)

Line Out (3.5 mm)

x1

RJ45 Port

x1

RS232 Control

x1

OPS slot

x1

Mechanical

Weight (Without / With Packing) (kg)

33.3 / 49

Wall Mounting (VESA) (mm)(Screw type /Max. length)

400 x 200 (4 holes); M8*15L

Dimension (WxHxD) (mm)

1672.2 x 954.9x 86.7

Language

On-Screen Display Languages

English / French / German / Dutch / Polish / Russian / Czech / Danish / Swedish / Italian / Romanian / Finnish / Norwegian / Greek / Hungarian / Spanish / Portuguese / Traditional Chinese / Simplified Chinese / Arabic / Japanese / Thai / Persian / Vietnamese / Korea / Turkey / Indonesia (27L)

SW support

Whiteboarding

EZWrite

Wireless screen sharing

InstaShare

Account management

AMS

Device management

DMS Cloud + DMS Local

Broadcast system

X-Sign Broadcast

Firmware Update

Over-the-air | USB

Package/Accessory

Remote Control

x1

Power Cord (By Region)

x7 (US, JP, TW, EU, AU, UK, IN)

VGA Cable

x1
Quick Start Guide
x1
User's Manual (electronic file)
x1
HDMI Cable
x1
USB Cable for Touch
x1
Power
Voltage
100V ~ 240V, 50Hz / 60Hz
Typical (watt)
245