
Inteligentna Elektronika

Ul. Raduńska 36A
83-333 Chmielno

Tel.: +48 730 90 60 90

E-mail: info@centrumprojekcji.pl

CHKISTIE®



Nazwa

**Enkoder Christie Phoenix Quad-T Encoder
(104-106101-01)**

Cena

0,00 zł

Producent

Christie

OPIS PRODUKTU**Outputs**

1 x Gigabit Ethernet

Inputs

4 x HDMI: Support for up to 3840 x 2160 pixels per input (wired connection)

HDMI audio inputs

Support for HDCP* (High-bandwidth Digital Content Protection)

Four mini-USB ports: HID device emulation for soft KVM control of inputs

Network

Gigabit Ethernet 1000 Mbps (1Gbps) Ethernet, RJ45 connector

Support for IGMP v3, IPv4, RTSP, RTP/UDP, MPEG2-TS/UDP, HTTP, TCP/IP

Encoding

Four high definition HDMI inputs to H.264 video streams @ 30 FPS

Four stereo audio streams from HDMI encoded to AAC-LC

Support for variable bitrate

Power

100-240VAC (auto-ranging power supply)

1-3A (max)

40W (max)

Dimensions

8 x 1.9 x 8.9" (204 x 49 x 252mm) (WxHxD)

2.8lbs (1.27kg)

Sound pressure

(operator position)

0.5m distance, device on tabletop - 40.7dBA max

Reliability

>50,000 hours for major modules

Regulatory

CAN/CSA C22.2 No. 60950-1

UL 60950-1

IEC 60950-1

FCC CFR47, Part 15, Subpart B, Class A –unintentional radiators

EN55103-1 Class A audio, video, audio-visual equipment emission;

EN55103-2 audio video, audio-visual equipment immunity;

EN61000-3-2

EN61000-3-3

Directives:

(EC) 2011/65/EU (RoHS)

2012/19/EU (WEEE)

Regulation (EC) No. 1907/2006 (REACH)

Certification marks: check with Christie for latest update

Manufacturing location

Designed, manufactured, and tested by Christie Digital Systems Inc. at our facility in Phoenix, Arizona, USA

Warranty

Limited two years parts and labor

*HDCP signal support upgrade available, Q4, 2017. Phoenix nodes can be used with encrypted signals.
Due to constant research, specifications and features are subject to change without notice.