
Inteligentna Elektronika

Ul. Raduńska 36A
83-333 Chmielno

Tel.: +48 730 90 60 90

E-mail: info@centrumprojekcji.pl



EIKI
Projectors ... and more!

Nazwa **Projektor Eiki EK-512X**

Cena **0,00 zł**

Producent **EIKI**

OPIS PRODUKTU

Brightness:

8,000 Lumens

Color Light Output:

**

Contrast:

2,500:1

Auto Iris:

**

Resolution:

1024x768

Aspect Ratio:

4:3 (XGA)

Video Modes:

720p, 1080i, 1080p/60, 1035i, 575i, 575p, 576i, 576p, 480p, 480i

Data Modes:

MAX 1920x1200

Max Power:

580 Watts

Voltage:

100V - 240V

Size(cm) (HxWxD):

45 x 120 x 105

Weight:

4.7 kg

Connection Panel:

S-Video VGA In (Dsub-15pin) RGB In (BNC) HDMI Audio Out (Mini Jack) Composite (BNC) USB USB
HDBaseT (RJ-45) HDMI (MHL) Audio In (Mini Jack) Audio In (Mini Jack) Audio In (RCA)

** item is not applicable, unpublished, or unknown

Lamp Life(Full Power):

3,000 hours

Lamp Life(eco-mode):

4,000 hours

Lamp Type:

NSH

Lamp Wattage:

430 Watts

Lamp Quantity:

1

Display Type:

2 cm 3 LCD

Standard Zoom Lens:

Powered, 1.80:1

Standard Lens Focus:

Powered

Optional Lenses:

Eiki AH-E22010 Fixed Lens 0.78:1

Eiki AH-E22020 Zoom Lens 1.18:1-1.57:1

Eiki AH-E23010 Zoom Lens 2.56:1-4.43:1

Eiki AH-E23020 Zoom Lens 4.33:1-7.38:1

Lens Shift:

Horz & Vert

Throw Dist (m):

2.2 - 9.0

Image Size(cm):

102 - 762

Throw Ratio(D:W):

1.47:1 - 2.65:1

Audible Noise:

40.0 dB

Eco-Mode:

34.0 dB

Speakers:

10.0 W Mono

Digital Zoom:

Yes

Digital Keystone:

Horz & Vert

Special Features: Closed Captioning, Geometric Correction, Laser Pointer, Crestron RoomView™

CECHY PRODUKTU

Model/Seria

EK-512X

Technologia	LCD
Rozdzielczość (Podstawowa)	XGA
Format Obrazu	4:3
Jasność	8000
Kontrast (...:1)	2500
Źródło Światła	LAMPA
Żywotność Źródła Światła (Ilość Godzin)	3000
Wsp. Powiększenia/Rzutu (Throw Ratio) Minimalny (...:1)	0.78
Wsp. Powiększenia/Rzutu (Throw Ratio) Maksymalny (...:1)	7.38