
Inteligentna Elektronika

Ul. Raduńska 36A
83-333 Chmielno

Tel.: +48 730 90 60 90

E-mail: info@centrumprojekcji.pl



EIKI
Projectors ... and more!

Nazwa **Projektor Eiki EK-512XL (bez obiektywu)**

Cena **15 299,00 zł**

Producent **EIKI**

OPIS PRODUKTU

Brightness:

8,000 Lumens

Color Light Output:

**

Contrast:

2,500:1

Auto Iris:

**

Resolution:

1024x768

Aspect Ratio:

4:3 (XGA)

Video Modes:

720p, 1080i, 1080p/60, 1035i, 575i, 575p, 576i, 576p, 480p, 480i

Data Modes:

MAX 1920x1200

Max Power:

580 Watts

Voltage:

100V - 240V

Size(inches) (HxWxD):

17.9 x 47.4 x 41.2

Weight:

10.3 lbs

Connection Panel:

Audio Out (Mini Jack) Composite (BNC) USB USB HDBaseT (RJ-45) HDMI (MHL) Audio In (Mini Jack)

Audio In (Mini Jack) Audio In (RCA) S-Video VGA In (Dsub-15pin) RGB In (BNC) HDMI

** item is not applicable, unpublished, or unknown

Lamp Life(Full Power):

3,000 hours

Lamp Life(eco-mode):

4,000 hours

Lamp Type:

NSH

Lamp Wattage:

430 Watts

Lamp Quantity:

1

Display Type:

0.8" 3 LCD

Optional Lenses:

Eiki AH-E21010 Standard Zoom Lens 1.47:1-2.65:1

Eiki AH-E22010 Fixed Lens 0.78:1

Eiki AH-E22020 Zoom Lens 1.18:1-1.57:1

Eiki AH-E23010 Zoom Lens 2.56:1-4.43:1

Eiki AH-E23020 Zoom Lens 4.33:1-7.38:1

Lens Shift:

Horz & Vert

Audible Noise:

40.0 dB

Eco-Mode:

34.0 dB

Speakers:

10.0 W Mono

Digital Zoom:

Yes

Digital Keystone:

Horz & Vert

Special Features: Closed Captioning, Geometric Correction, Laser Pointer, Crestron RoomView™

CECHY PRODUKTU

Model/Seria	EK-512XL (bez obiektywu)
Technologia	LCD
Rozdzielczość (Podstawowa)	XGA
Format Obrazu	4:3
Jasność	8000
Kontrast (...:1)	2500

Źródło Światła	LAMPA
Żywotność Źródła Światła (Ilość Godzin)	3000
Wsp. Powiększenia/Rzutu (Throw Ratio) Minimalny (...:1)	0.78
Wsp. Powiększenia/Rzutu (Throw Ratio) Maksymalny (...:1)	7.38