

## Inteligentna Elektronika

Ul. Raduńska 36A  
83-333 Chmielno

Tel.: +48 730 90 60 90

E-mail: info@centrumprojekcji.pl



**EIKI**  
Projectors ... and more!

Nazwa **Projektor EIKI EK-812U**

Cena **0,00 zł**

Producent **EIKI**

## OPIS PRODUKTU

### Specyfikacja Techniczna

Display Type

0.67" 1chip DMD

Resolution

WUXGA (1920 x 1200)

Aspect Ratio

16:10

Brightness (ANSI)

9,500 lm\*

Contrast Ratio

100,000:1

Projection Light Source

Laser (Blue) + Phosphor

Light Source Life

20,000 hours

Image Diagonal

50" - 300" \*1

Lens

Lens Spec. (F-number / Focal Length)

Depends on lens (See Lens table)

Zoom / Focus Adjustment

Motorized

Zoom Ratio

Depends on lens (See Lens table)

Throw Ratio

Depends on lens (See Lens table)

Throw Distance (Wide - Tele)

Depends on lens (See Lens table)

Lens Shift

V: +/- 50 %, H: +/- 15% (Motorized)

Keystone Correction

V: +/- 20 degrees, H: +/- 20 degrees, 4-corner

Projection Elevation Adjustment

Up to 5 degrees

Scanning Frequency

H Sync: 15, 31 - 91.4 kHz, V sync: 24 - 30, 47 - 120 Hz

Dot Clock

162 MHz

Input Signals - Computer

WUXGA (1920 x 1200) - VGA ( 640 x 480)

Input Signals - Video

1080i/p, 720p, 576i/p, 480i/p

Terminal

SDI IN

BNC x 1 (3G-SDI)

HDBaseT

RJ45 x 1

HDMI IN

HDMI x 2 (Ver 2.0)

Display Port

-

DVI-D IN

DVI-D x 1

VGA IN

D-Sub 15 x 1

RGBHV

-

YPbPr (Component) IN

-

Video (Composite) IN

-

S-Video IN

-

LAN

RJ45 x 1

Monitor Out

D-Sub 15 x 1

Audio in

-

Audio out

-

USB

USB Type A x 1 (Power Out)

3D SYNC

MINI DIN 3 pin (In) x 1, MINI DIN 3 pin (Out) x 1

RS232C

D-sub 9 x 1

Remote Control

3.5mm Mini Jack x 1

Others

3.5mm Mini Jack x 1 (12V OUT)

Built-in Speaker

-

Fan Noise

34 dB / 36 dB (Eco/Normal)

Dimensions (W x H x D)

484 x 181 x 509 mm

Weight

18.0kg

Power Requirements

AC 100 - 240 V , 50 / 60 Hz

Power Consumption

315 W / 650 W (Eco/Normal)

Thermal Dissipation

2,222 BTU

Standard Accessories

AC Power Cord x 2 (U.S. A. & Euro), VGA cable x 1, Remote Control (with AAA batteries x 2), Quick Start Guide, Safety Guide

Note

\*: Center Lumen

\*1: Except AH-A25010

## CECHY PRODUKTU

Model/Seria	<b>EK-812U</b>
-------------	----------------

Technologia	<b>DLP</b>
-------------	------------

Rozdzielczość (Podstawowa)	<b>WUXGA</b>
----------------------------	--------------

Format Obrazu	<b>16:10</b>
---------------	--------------

Jasność	<b>8200</b>
---------	-------------

Kontrast (...:1)	<b>100000</b>
------------------	---------------

Źródło Światła	<b>LASER</b>
----------------	--------------

Żywotność Źródła Światła (Ilość Godzin)	<b>20000</b>
---	--------------

Wsp. Powiększenia/Rzutu (Throw Ratio) Minimalny (...:1)	<b>0.36</b>
---	-------------

Wsp. Powiększenia/Rzutu (Throw Ratio) Maksymalny (...:1)	<b>5.5</b>
--	------------