

## Inteligentna Elektronika

Ul. Raduńska 36A  
83-333 Chmielno

Tel.: +48 730 90 60 90

E-mail: info@centrumprojekcji.pl



**InFocus**  
The Big Picture

Nazwa **Monitor Interaktywny Infocus SP8612**

Cena **0,00 zł**

Producent **InFocus**

## OPIS PRODUKTU

SP8612

Display

Product Series

ScreenPlay JTouch Series 12

Screen Size (Diagonal)

86

Backlight

D-LED

Native Resolution

4K 3840 x 2160

Aspect Ratio

16:9

Contrast Ratio

1200:1

Dynamic Contrast Ratio

4000:1

Brightness (Maximum cd/m2)

500

Response Time (ms)

84mm

Display Colours (billion)

1.07

Refrate (Hz)

60

Viewing Angle (H-V°)

178 / 178

Glass Treatment (mohs)

Antiglare, 7

Sensors

Light & Temperature

Audio (w)

2 x 15

Lifetime Maximum (hrs)

50000

Frame Material

Aluminium Alloy

Supported Orientation

Landscape

Connectivity

Inputs

1x Mini D-sub 15-pin (VGA), 1x HDMI™ 2.0, 2x HDMI™ 2.0 ARC/CEC, 1x USB-A 2.0, 3x USB-A 3.0, 2x USB-B, 1x 3.5 mm Stereo Mini Jack, 1x USB Type C 2.1, 1x NFC

Outputs

1x 3.5 mm Stereo Mini Jack, 1x SPDIF, 1x USB Type C 2.1

Networking & Control

2x Built-In Wi-Fi (5G) /Hotspot (5G), 2x RJ45 - LAN 10/100/ 1000, 1x RS232

Expansion

1x Open Pluggable Specification (OPS) Slot, 1x TF Card Slot up to 128GB

Power

Power Supply (V / Hz)

AC 100 - 240, 50/60

Power Consumption Minimum [W]

155

Power Consumption Minimum with OPS [W]

198

Power Supply - Maximum ( W )

500

Power Consumption Network Standby (W)

<2.0

Power Consumption Standby (W)

<0.5

Touch System

Touch Technology

IR

Touch Points Maximum

32 Android, 50 Windows

Typical Response Time (ms)

<6

Accuracy (mm)

1

Minimum Object Size Single Touch (mm)

>3

Minimum Object Size Multi Touch (mm)

>8

Supported Operating Systems

Windows, Linux, Mac OS, Chrome

Embedded System

Operating System & Version

Android 12

System on Chip (SoC)

V100

Central Processing Unit (CPU)

ARM Cortex™ Octa Core A55 1.4Ghz, A55 x8

Graphics Processing Unit (GPU)

ARM Mail Quad Core G52 600 MHz, G52 x4

Random Access Memory (RAM) GB DDR4

8

Read Only Memory (ROM) GB EMMC

128

Included Applications

Browser, WPS, Calendar, Calculator, Easy Upload, Gallery, Timer, Airgo Cast, VoteKit, Camera, File Manager, Screen Record, Whiteboard, Welcome,

Bluetooth

5.0

Optional Upgrades

SPOPS1

SCREENPLAY, OPS SLOT-IN PC, INTEL® CORE™ i5-6300U, 8GB, 256GB, SPOPS1

SPOPS2

SCREENPLAY, OPS SLOT-IN PC, INTEL® CORE™ i7-11700, 16GB 512GB SSD, SPOPS2

SPOPS3

SCREENPLAY, OPS SLOT-IN PC, EDLA 8GB, 128GB, SPOPS3

General

Product Dimensions (L x W x H) (mm / in)

1953 x 88 x 1165 / 76.9 x 3.5 x 45.9

Product Weight (kg / lb)

70 / 154

Shipping Dimensions (L x W x H) (mm / in)

2080 x 180 x 1295 / 81.9 x 7.1 x 51.0

Shipping Weight (kg / lb)

83 / 183

Mounting VESA MIS-F

400 x 800

Operating Temperature (°C / F)

0 ~ 40 / 32 ~ 104

Operating Humidity [%]

10 ~ 90

Operating Altitude (m / ft)

16404

Storage Temperature (°C / F)

-20 ~ 40 / -4 ~ 104

Storage Humidity [%]

10 ~ 90

Security

NFC Profiles, PIN, Kensington Lock

Safety and Regulatory

CB, CE EMC, IC, FCC, UL, NOM,

Environmental

RoHS, WEEE, EU Energy

In the Box

Interactive Display, Simplified Users Guide, VGA Cable, Regional Power Cord, Remote Control (no Battery), USB Cable, HDMI Cable, Wall Mount