

---

## Inteligentna Elektronika

Ul. Raduńska 36A  
83-333 Chmielno

Tel.: +48 730 90 60 90

E-mail: info@centrumprojekcji.pl

---



Nazwa	<b>Monitor do ściany wideo LG 49VL7F-A</b>
-------	--

Cena	<b>10 200,00 zł</b>
------	---------------------

Producent	<b>LG</b>
-----------	-----------

---

## OPIS PRODUKTU

Dane techniczne:

Panel

Screen Size

49"

Panel Technology

IPS

Aspect Ratio

16 : 9

Native Resolution

1,920 x 1,080 (FHD)

Brightness (Typ., cd/m<sup>2</sup>)

700

Contrast Ratio

1,300:1

Dynamic CR

500,000 : 1

Viewing Angle (H x V)

178 x 178

Response Time

8 ms (G to G)

Surface Treatment

3%

Life Time (Typ.)

50,000 Hrs

Operation Hours

24 Hrs

Orientation

Landscape & Portrait

## Connectivity

### Input

HDMI, DP, DVI-D, RGB, Audio, USB

### Output

DP, Audio

### External Control

RS232C In/out, RJ45(LAN) In, IR In

### Mechanical Specification

#### Bezel Color

Black

#### Bezel Width

2.3 mm (T/L), 1.2 mm (B/R)

#### Monitor Dimension (W × H × D)

1,077.6 x 607.8 x 89.7 mm

#### Weight (Head)

17.8 kg

#### Carton Dimensions (W × H × D)

1,214 x 778 x 263 mm

#### Packed Weight

22.8 kg

#### Handle

Yes

#### VESA™ Standard Mount Interface

600 x 400 mm

#### Environment Conditions

##### Operation Temperature

0°C to 40°C

##### Operation Humidity

10 % to 80 %

#### Power

##### Power Supply

100-240V~, 50/60Hz

##### Power Type

Built-In Power

##### Power Consumption

###### Typ./Max

140 W / 165 W

##### Smart Energy Saving

75 W

#### Certification

##### Safety

IEC 60950-1 / EN 60950-1 / UL 60950-1

##### EMC

FCC Class "A" / CE / KC

##### ErP / Energy Star

N/A / Yes (Energy Star 7.0)

##### Media Player Compatibility

###### OPS Type Compatible

No

##### External Media player Attachable

Yes (MP500/MP700)

##### Software Compatibility

###### Content Management Software

SuperSign CMS

###### Control and Monitoring Software

SuperSign Control/Control+  
Accessory  
Basic

Remote Controller, Power Cord, RS232C Cable, DP Cable, IR Receiver, Guide Bracket, Screws, Manual