

---


## Inteligentna Elektronika

Ul. Raduńska 36A  
83-333 Chmielno

Tel.: +48 730 90 60 90

E-mail: info@centrumprojekcji.pl

---



Nazwa

**Monitor do ściany wideo LG Ultra-Narrow  
Bezel Video Wall 49VM5C-B**

Cena

**20 322,00 zł**

Producent

**LG**

---

## OPIS PRODUKTU

### PANEL

Screen Size

49"

Panel Technology

IPS

Aspect Ratio

16 : 9

Native Resolution

1,920 x 1,080 (FHD)

Brightness

500 cd/m<sup>2</sup>

Contrast Ratio

1,300:1

Dynamic CR

500,000 : 1

Viewing Angle (HxV)

178 x 178

Response Time

8 ms (G to G)

Surface Treatment

Hard Coating (3H), Anti-Glare Treatment of the Front Polarizer (Haze 10%)

Guaranteed Operating Hour

24 Hours

Orientation

Portrait & Landscape

### CONNECTIVITY

Input

HDMI, DP, DVI-D, OPS, Audio, USB 2.0, USB3.0, RGB

Output

DP, Audio

External Control

RS232C, RJ45, IR Receiver

PHYSICAL SPECIFICATION

Bezel Color

Black

Bezel Width

0.9 mm (Top/Bottom/Left/Right even bezel) / 1.8 mm \*B to B : Panel Bezel + Panel Bezel

Monitor Dimension (W x H x D)

1,075.6 x 605.8 x 86.2 mm

Weight (Head)

17.5 kg

Carton Dimensions (W x H x D)

1,214 x 775 x 263 mm

Packed Weight

23.2 kg

VESA TM Standard Mount Interface

600 x 400mm

SPECIAL FEATURES

Yes

Temperature Sensor, Tile Mode (up to 15 x 15), Natural Mode@Tile Mode, Energy Saving, Smart Energy Saving, File Play with USB, Internal Memory (8 GB, System 4 GB + Available 4 GB), Wi-Fi Dongle Ready, USB Cloning, Content Scheduling, Fail over (USB, RGB, DVI, HDMI, Internal Memory)

ENVIRONMENTAL CONDITIONS

Operating Temperature Range

0 °C to 40 °C

Operating Humidity Range

10% to 80%

POWER

Power Supply

100–240V~, 50/60Hz

Power Type

Built-in Power

POWER CONSUMPTION

Typ.

120 W

Smart Energy Saving

70 W

STANDARD (CERTIFICATION)

Safety

UL / cUL / CB / TUV / KC

EMC

FCC Class "A" / CE / KCC

ErP / Energy Star

NA / Yes (Energy Star 7.0)

MEDIA PLAYER COMPATIBILITY

OPS Type Compatible

Yes

External Media player Attachable

Yes (MP500/MP700)

SOFTWARE COMPATIBILITY

SuperSign W-Lite

Yes

SuperSign C

Yes

## ACCESSORIES

### Basic

Remote controller, Power cable, DP cable, Manual, IR receiver, RS-232C cable, LAN cable, Guide bracket,  
Screws

### Optional

Wall mount (Landscape: WM-L640V, Portrait: WM-P640V), OPS kit (KT-OPSA), HDBaseT (EB-B100)