

## Inteligentna Elektronika

Ul. Raduńska 36A  
83-333 Chmielno

Tel.: +48 730 90 60 90

E-mail: info@centrumprojekcji.pl



Nazwa **Monitor LG 43SM5KC**

Cena **0,00 zł**

Producent **LG**

## OPIS PRODUKTU

### PANEL

Screen Size

43" (42.5" diagonal)

Panel Technology

IPS

Aspect Ratio

16 : 9

Native Resolution

1,920 x 1,080 (FHD)

Brightness

450cd/m2

Viewing Angle (HxV)

178 x 178

Response Time

12 ms (G to G BW), 9.4 ms (WOT)

Surface Treatment

Hard coating (3H), Anti-glare treatment of the front polarizer (Haze 1% (Typ.))

Life time (Typ.)

50,000 Hrs (Typ.)

Guaranteed Operating Hour

24 Hours

Orientation

Portrait & Landscape

### CONNECTIVITY

Input

HDMI, DP, DVI-D, RGB, Audio, SD card, USB 3.0

Output

DP, Audio

External Control

RS232C in/out, RJ in, IR Receiver, Pixel Sensor

#### PHYSICAL SPECIFICATION

Bezel Color

Black

Bezel Width

0.5" mm (T/R/L), 0.7" mm (B)

Monitor Dimension (W x H x D)

38.2" x 22.2" x 2.1"

Weight (Head)

22 lbs

Weight (Head + Stand)

27.6 lbs

Monitor with Optional Stand & Speaker Dimensions (W x H x D)

38.2" x 24.5" x 7.6"

Carton Dimensions (W x H x D)

41.4" x 25.6" x 4.8"

Packed Weight

27.8 lbs

VESA TM Standard Mount Interface

200 x 200 mm

#### SPECIAL FEATURES

Yes

Temperature Sensor, Auto Brightness Sensor, Tile Mode (Up to 15x15), DPM Select, DPM wake up, Energy Saving, Smart Energy Saving, File Play with USB, PIP/PBP (2), Internal Memory (8 GB), USB Cloning, Easy Brightness Control, Holiday Schedule, Limited Mode, Wake on LAN, Fail over, Mirroring, SoftAP, BEACON, Embedded Template

#### ENVIRONMENTAL CONDITIONS

Operating Temperature

32°F to 104°F

Operating Humidity

10% to 80%

#### POWER

Power Supply

100-240V~, 50/60Hz

Power Type

Built-In Power

Power Switch

No

#### POWER CONSUMPTION

Typ.

75 W

Smart Energy Saving

55 W

#### STANDARD (CERTIFICATION)

Safety

UL / cUL / CB / TUV / KC

EMC

FCC Class "A" / CE / KCC

ErP / Energy Star

NA / ENERGY STAR® Qualified

Audio Power

20 W (10 W x 2) for Internal Speaker (6 ohm)

#### MEDIA PLAYER COMPATIBILITY

OPS Type Compatible

Yes

External Media player Attachable

Yes (MP500/MP700)

SOFTWARE COMPATIBILITY

SuperSign W-Lite

Yes

SuperSign C

Yes

ACCESSORIES

Basic

Remote Controller (included 2ea batteries), Power Cord, QSG, RGB Cable, Regulation Book, Phone to RS232C Gender, Memory cover

Optional

Speaker (SP-5000), Stand (ST-432T), Pixel sensor (KT-SP0), Media player, Wall bracket (LSW230B), VESA Adapter (AM-B220S), OPS Kit (KT-OPSA), HDBaseT (EB-B100), Touch overlay (KT-T430)

UPC

43SM5KC-B

7 19192 60636 4

WARRANTY

Yes

3 Year Limited