
Inteligentna Elektronika

Ul. Raduńska 36A
83-333 Chmielno

Tel.: +48 730 90 60 90

E-mail: info@centrumprojektacji.pl



Nazwa	Monitor LG 55UM3DG
-------	---------------------------

Cena	0,00 zł
------	----------------

Producent	LG
-----------	-----------

OPIS PRODUKTU

Dane techniczne:

Panel

Screen Size

55"

Panel Technology

IPS

Aspect Ratio

16 : 9

Native Resolution

3,840 x 2,160 (UHD)

Brightness(Typ.,cd/m²)

350

Contrast Ratio

1,100:1

Viewing Angle (H x V)

178 x 178

Response Time

8ms (G to G)

Surface Treatment (Haze)

Haze 3%

Life Time (Typ.)

50,000 Hrs

Operation Hours (Hours / Day)

18 / 7

Portrait / Landscape

Yes / Yes

Connectivity

Input

HDMI (3, HDCP 2.2), USB 2.0 Type A

Output

Audio (Off/Fixed/Variable)

External Control

RS232C In/Out (4Pin Phone-jack)

Mechanical Specification

Bezel Color

Black

Bezel Width

9.9 mm (T/R/L), 14.4 mm (B)

Weight (Head)

19.0 kg

Weight (Head+Stand)

19.6 kg

Packed Weight

24.2 kg

Monitor Dimension (W × H × D)

1,234.4 x 720.9 x 39.9 mm

Monitor incl. Stand Dimensions (W x H x D)

1234.4 x 770.7 x 290.0 mm

Carton Dimensions (W × H × D)

1,360.0 x 835.0 x 175.0 mm

Handle

No

VESA™ Standard Mount Interface

300 x 300

Special Feature

Tilt (Facedown)

Max. 15° *In conditions within 30°C temperature, 50% humidity

IP Rating

IP5x

Environment Conditions

Operation Temperature

0°C to 40°C

Operation Humidity

10 % to 80 %

Power

Power Supply

100-240V~, 50/60Hz

Power Type

Built-In Power

Power Consumption

Typ. / Max.

95W / 140W

Smart Energy Saving

70W

Certification

Safety

CB / NRTL

EMC

FCC Class "A" / CE / KC

ErP / Energy Star

Yes (EU Only) / Yes (Energy Star 8.0)

Media Player Compatibility

OPS Type Compatible

No

Software Compatibility

Content Management Software

SuperSign CMS

Control and Monitoring Software

SuperSign Control/Control+

Signage365Care

Yes

Accessory

Basic

Remote Controller, Power Cord, QSG, Regulation Book, Phone to RS232C Gender