

## Inteligentna Elektronika

Ul. Raduńska 36A  
83-333 Chmielno

Tel.: +48 730 90 60 90

E-mail: info@centrumprojektacji.pl



Nazwa **Monitor LG 65SE3B-B**

Cena **11 555,00 zł**

Producent **LG**

## OPIS PRODUKTU

Display

Display Type

IPS LED LCD

Size

64.5" / 163.8 cm

Aspect Ratio

16:9

Native Resolution

1920 x 1080

Pixels

6,220,800

Brightness

400 cd/m<sup>2</sup>

Contrast Ratio (Typical)

1300:1

Dynamic Contrast Ratio

500,000:1

Color Gamut

68%

Viewing Angle (H/V)

178 / 178°

Color Depth

1.06 billion

Response Time

12 ms (G-to-G BW)

## Surface Treatment

Hard coating (3H), anti-glare treatment of the front polarizer (Haze 1%(typical))

## Panel Life

Approximately 30,000 hours

## Orientation

Landscape and portrait

## Video

### ISM Method

Normal, White Wash, Color Wash, Orbiter, Inversion, Washing Bar, User Image

### Advanced

Dynamic Contrast, Dynamic Color, Color Gamut, Skin Color, Sky Color, Grass Color, Gamma

## HDTV Resolutions

720p, 1080i, 1080p

## Connectivity

### Inputs

1 x HDMI

1 x DVI-D

1 x RGB

2 x USB

1 x 1/8" (3.5 mm) Audio

1 x RS-232C

### Outputs

1 x Speaker Left and Right

1 x RS-232C

1 x 1/8" (3.5 mm) Audio

## Other

1 x Power

1 x RJ45

HDMI CEC

Yes

## Audio

### Power

10 W x 2 for optional external speakers

## Sound Modes

Standard, News, Music, Cinema, Sports, Game

## Functionality

Speaker On/Off, Clear Voice II, Virtual Surround, Equalizer

## General

### Source Selection

RGB, HDMI, DVI, USB1, USB2

### Time

Clock, On/Off Time, Auto Off, Automatic Standby, DST, Time Sync Clock, PM Mode

## Bezel Width

Top/Right/Left: 0.5" (11.9 mm)

Bottom: 0.7" (18 mm)

## VESA Compatibility

300 x 300 mm

## Compliances

Safety: UL, cUL, CB, TUV, KC

EMC: FCC Class "A", CE, KCC

ErP: Yes

ENERGY STAR: 6.0

## Power

Type: Built-in

Requirements: 100 to 240 VAC, 50/60 Hz

## Power Consumption

Typical: 100 W

Smart Energy Saving: 70 W

DPM: 0.7 W (DP)

Power Off: 0.5 W

## Languages Supported

English, French, German, Spanish, Italian, Korean, Chinese (Simplified), Chinese (Traditional), Portuguese (Brazil), Swedish, Finnish, Norwegian, Danish, Russian, Portuguese (Europe), Dutch, Czech, Greek

## Energy Saving

Minimum, Medium, Maximum, Screen Off

## Operating Environment

Temperature: 32 to 104°F (0 to 40°C)

Humidity: 10 to 80%

## Dimensions (WxHxD)

57.4 x 33.0 x 1.6" / 145.8 x 83.8 x 4.1 cm

## Weight

61.0 lb / 27.7 kg