

## Inteligentna Elektronika

Ul. Raduńska 36A  
83-333 Chmielno

Tel.: +48 730 90 60 90

E-mail: info@centrumprojekcji.pl



Nazwa **Monitor LG Digital Signage 43SM5KD**

Cena **0,00 zł**

Producent **LG**

## OPIS PRODUKTU

### PANEL

Screen Size

43"

Panel Technology

IPS

Aspect Ratio

16 : 9

Native Resolution

1,920 x 1,080 (FHD)

Brightness

450 cd/m2

Viewing Angle(H x V)

178 x 178

Response Time

12 ms (G to G BW), 9.4 ms (WOT)

Surface Treatment

Hard coating (3H), Anti-glare treatment of the front polarizer (Haze 1% (Typ.))

Guaranteed Operating Hour

24 Hours

Orientation

Portrait & Landscape

CONNECTIVITY

## Input

HDMI (2), DP, DVI-D, RGB, Audio, USB 3.0

## Output

DP, Audio

## External Control

RS232C in/out, RJ in, IR Receiver, Pixel Sensor

## PHYSICAL SPECIFICATION

### Bezel Color

Black

### Bezel Width

11.9 mm (T/R/L), 18 mm (B)

### Monitor Dimension (W x H x D)

38.2" x 22.2" x 2.1"

### Weight (Head)

22.2 lbs

### Monitor with Optional Stand Dimensions (W x H x D)

38.2" x 24.5" x 7.6"

### Weight (Head + Stand)

27.6 lbs

### Carton Dimensions (W x H x D)

41.4" x 25.6" x 4.7"

### Packed Weight

27.8 lbs

### VESA™ Standard Mount Interface

200mm x 200mm

## SPECIAL FEATURES

Yes

Temperature Sensor, Auto Brightness Sensor, Tile Mode (Up to 15x15), DPM Select, DPM Wake Up, Energy Saving, Smart Energy Saving, File Play with USB, PIP/PBP (2), Internal Memory (8 GB), USB Cloning, Easy Brightness Control, Holiday Schedule, Limited Mode, Wake on LAN, Fail Over, Mirroring, SoftAP, BEACON, Embedded Template

## ENVIRONMENTAL CONDITIONS

### Operating Temperature

32°F to 104°F

### Operating Humidity

10% to 80%

## POWER

### Power Supply

100-240 V~, 50/60 Hz

### Power Type

Built-in Power

### Power Switch

No

## POWER CONSUMPTION

Typ.

75 W

### Smart Energy Saving

55 W

## STANDARD (CERTIFICATION)

### Safety

UL / cUL / CB / TUV / KC

### EMC

FCC Class "A" / CE / KCC

ErP / Energy Star

NA / Yes (Energy Star 7.0)

Audio Power

20 W (10 W x 2) for Internal Speaker (6 ohm)

MEDIA PLAYER COMPATIBILITY

OPS-Type Compatible

Yes

External Media player Attachable

Yes (MP500/MP700)

SOFTWARE COMPATIBILITY

SuperSign Premium

Yes

SuperSign Link

Yes

ACCESSORIES

Basic

Remote Controller (included 2ea batteries), Power Cord, QSG, RGB Cable, Regulation Book, Phone to RS232C Gender, Memory cover

Optional

Stand (ST-432T), Pixel Sensor (KT-SP0), Media Player, Wall Bracket (LSW230B), VESA Adapter (AM-B220S), OPS Kit (KT-OPSA), HDBaseT (EB-B100), Touch Overlay (KT-T430)

OTHER

Warranty

2-Year Limited Warranty Parts/Labor