

## Inteligentna Elektronika

Ul. Raduńska 36A  
83-333 Chmielno

Tel.: +48 730 90 60 90

E-mail: info@centrumprojekcji.pl



Nazwa **Projektor Optoma UHD52ALV**

Cena **12 969,00 zł**

Producent **Optoma**

## OPIS PRODUKTU

### Specyfikacja

Display/image

Display technology

DLP

Resolution

UHD (3840x2160)

Brightness

3,500 lumens

Contrast ratio

500,000:1

Native aspect ratio

16:9

Aspect ratio - compatible

4:3

Horizontal scan rate

31 ~ 135Khz

Vertical scan rate

24 ~ 120Hz

Uniformity

75%

Screen size

0.87m ~ 7.68m (34.1" ~ 302.4") diagonal

Lamp info

Light source type

Lamp

Lamp watts

240

Lamp life hours (up to)

4000 (Bright), 15000 (Dynamic), 10000 (Eco)

Optical

Throw ratio

1.21:1 ~ 1.59:1

Projection distance (m)

1.2m - 8.1m

Zoom

1.3

Zoom type

Manual

Focal length (mm)

12.81 ~ 16.74

Lens shift

Vertical +10%

Native offset

105%

Connectivity

Connections

Inputs 2 x HDMI 2.0, 1 x VGA (YPbPr/RGB), 1 x Audio 3.5mm, 1 x USB-A reader

Outputs 1 x Audio 3.5mm, 1 x S/PDIF, 1 x USB-A power 1.5A

Control 1 x USB-A service, 1 x RS232, 1 x RJ45, 1 x 12V trigger, 1 x USB-A wireless, 1 x USB-A wireless

Alexa

General

Noise level (typical)

25dB

PC compatibility

UHD, WQHD, WUXGA, FHD, UXGA, SXGA, WXGA, HD, XGA, SVGA, VGA, Mac

2D compatibility

480i/p, 576i/p, 720p(50/60Hz), 1080i(50/60Hz), 1080p(50/60Hz), 2160p(50/60Hz)

3D compatibility

Side-by-Side: 1080i50 / 60, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60

3D

Full 3D

Security

Security bar, Kensington Lock, Password protected interface

OSD / display languages

10 languages: English, French, German, Italian, Japanese, Portuguese, Russian, Chinese (simplified), Spanish

Operating conditions

5°C ~ 40°C, Max. Humidity 85%, Max. Altitude 3000m

Remote control

Backlit home remote

Speaker count

2

Watts per speaker

5W

In the box

Lens cap

AC power cord

Remote control

2x AAA batteries

Basic user manual

Wireless USB adapter - WUSB

Input lag

66.00ms

Optional wireless models

WUSB

Power

Power supply

100 ~ 240V, 50 ~ 60Hz

Power consumption (standby)

0.5W

Power consumption (min)

249W

Power consumption (max)

305W

Weight and dimensions

Net weight

5.22kg

Dimensions (W x D x H) mm

392 x 281 x 118