

---

## Inteligentna Elektronika

Ul. Raduńska 36A  
83-333 Chmielno

Tel.: +48 730 90 60 90

E-mail: [info@centrumprojekcji.pl](mailto:info@centrumprojekcji.pl)

---



Nazwa	<b>Projektor Optoma X402</b>
-------	------------------------------

Cena	<b>2 398,00 zł</b>
------	--------------------

Producent	<b>Optoma</b>
-----------	---------------

---

## OPIS PRODUKTU

### Display Technology

Single 0.55" XGA DC3 DMD chip DLP® Technology by Texas Instruments

### Native Resolution

XGA 1024 x 768

### Brightness1 (Bright Mode)

4200 ANSI Lumens

### Contrast

20,000:1

### Noise Level (Eco mode)

31dB

### Weight (kg)

2.57

### I/O Connectors

HDMI (1.4a 3D support), 2 x VGA (YPbPr/RGB), S-Video, Composite, 2 x Audio In 3.5mm, Audio Out

3.5mm, VGA Out, RS232, USB mouse/service, RJ45

### Computer Compatibility

UXGA, SXGA, XGA, SVGA, VGA, Mac

### Video Compatibility

PAL (B, D, G, H, I, M, N, 4.43MHz), NTSC (M, J, 3.58MHz, 4.443MHz), SECAM (B, D, G, K, K1, L, 4.25MHz, 4.4MHz, 480i/p, 576i/p, 720p(50/60Hz), 1080i(50/60Hz) 1080p(24/50/60Hz)

### Displayable Colours

1073.4 Million

### Projection Lens

F/2.4~2.66; f=18.2~21.9mm, 1.2x Manual Zoom

### Throw Ratio

1.6 - 1.92:1

### Projection Screen Size

0.78m- 7.79m (30.8" to 307") Diagonal 4:3

### Projection Distance

1.2 - 12m

## Zoom Type

1.2x Manual

## Aspect Ratio

4:3 Native, 16:9 Compatible

## Offset

115%

## Horizontal Scan Rate

15.3 - 91.1kHz

## Vertical Scan Rate

24 - 85Hz

## Lamp Type

260W

## Lamp Life2 Bright

3000 (hrs)

## Keystone Correction

± 40° Vertical

## Dimensions (W x D x H) (mm)

315 x 224 x 102

## Power Supply

100-240V, 50-60Hz

## Power Consumption

306W Bright mode / 257W Eco mode (< 0.5W Standby)

## Operating Conditions

5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m

## Uniformity

80%

## Security

Security bar, Kensington lock, password protection

## Standard Accessories

Carry bag, AC power cord, VGA cable, remote control, battery, quick start card, CD user manual

## Optional Accessories

DLP® Link™ 3D glasses, wireless, ceiling mount

## RoHS

## Compliant

## 3D Support

Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include use with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification.

## 3D Compatibility

Side-by-Side: 1080i50 / 60, 720p50 / 60

Frame-pack: 1080p24, 720p50 / 60

Over-Under: 1080p24, 720p50 / 60

## Speaker (Watts)

10

## On Screen Display

19 Languages: English, German, French, Italian, Spanish, Portuguese, Polish, Dutch, Russian, Finnish, Swedish, Greek, Norwegian/Danish, Hungarian, Czech, Turkish, Romanian, Farsi and Arabic.

## Optional Wireless

Yes

1Lamp based projectors brightness and lifetime will vary depending on selected projector mode, environmental conditions and usage. As is common with all lamp based projectors, brightness will decrease over the lamp lifetime. LED projectors do not have a replaceable lamp and the brightness does not decay significantly over the product lifetime.

2Typical lamp life achieved through testing. Will vary according to operational use and environmental conditions