

Inteligentna Elektronika

Ul. Raduńska 36A
83-333 Chmielno

Tel.: +48 730 90 60 90

E-mail: info@centrumprojekcji.pl



Nazwa	Skaler Optoma HQView325
Cena	0,00 zł
Producent	Optoma

OPIS PRODUKTU

HQView325 Specification

Model Name/ Part No

HQView325

Inputs

1x HDMI with HDCP support, 8/12 bit deep colour compatible.

Audio de-embed from HDMI of SPDIF compatible formats

1x DVI with HDCP support

1x VGA Analog via 15HDD

Supported video formats:

HD 720p, 1080i, 1080psf, 1080p23.97/24/25/30, 1080p30, 1080p50, 1080p59.94, 1080p60

ED 480p, 576p

SD 625i (576i), 525i (480i)

Common VESA graphics formats from 640x480 to 1920x1200 (with reduced blanking for 1920x1200 and 1600x1200 modes)

Outputs

1x DVI/HDMI with HDCP (HDMI with deep color 8/10/12 bit support, via DVI connector)

1x S/PDIF digital audio via RCA

Supported Output formats:

DVI/VGA common VESA formats 640x480 to 1920x1200, 720p, 1080p

Selectable I/O lock or frame rate conversion mode

Selectable aspect ratio conversion

User Controls

Remote control via RS232, TCP/IP API and Web Server.

PC-based Warp Map Generator tool

Keypad for direct input selection and control of common adjustments as well as OSD menu access.

USB port for uploading software updates and new features

Power Requirements

100-264VAC, 35W typical

Warranty

3-years return to base warranty covers parts and labour.

HQView model >

320

325

520

530

Front LCD menu or OSD control

OSD

OSD

OSD

LCD

DVI/HDMI Inputs

X

X

X

X

Component Input

X

X

X

X

Composite/S-Video Inputs

-

-

X

X

VGA Analog Input

X

X

X

X

HD-SDI Input

-

-

-

-

3G-SDI Input

-

-

X

X

DVI/HDMI Output

X

X

X

X

VGA Analog Output

-

-

X

X

3G-SDI Output

-

-

X

X

3G-SDI Audio embed/de-embed

-

-

X

X

HQV Processing

X

X

X

X

PIP/POP/PAP

-

-

X

X

TCP/IP Control

X

X

X

X

Low Latency Mode

X

X

X

X

Flicker Filter for Interlaced Output Modes

-

-

X

X

Geometry Correction, 4-Corner, Rotate

X

X

X

X

Genlock (V-Lock)

-

-

X

X

Pan, Zoom, Tilt

X

X

X

X

Edge Blending

X

X

X

X

Edge Blend Black Level Correction

-

X

X

X

Auto pan/zoom/tilt of content for blending

X

X

X

X

Projection Mapping/Warp

X

X

X

X

Automatic Geometric Alignment

The HQView320/325/520/530 are Scalable Ready certified meaning that they can be used with Scalable Display Technologies products for automatic geometric alignment of displays. This software-driven, camera-based system automatically aligns displays with unsurpassed accuracy and speed, further simplifying the setup of blending and warping projects.