

## Inteligentna Elektronika

Ul. Raduńska 36A  
83-333 Chmielno

Tel.: +48 730 90 60 90

E-mail: info@centrumprojekcji.pl



**Panasonic**  
ideas for life

Nazwa **Monitor Panasonic TH-55LFV5**

Cena **0,00 zł**

Producent **Panasonic**

## OPIS PRODUKTU

### Model

TH-55LFV5

### Display

#### Screen Size

55-inch (1,387.8 mm)

#### Panel Type

IPS/Direct LED

#### Effective Display Area (W x H)

1,209 x 680 mm (47.7" x 26.8")

#### Resolution (H x V)

1,920 x 1,080 pixels

#### Brightness (Typ)

500 cd/m<sup>2</sup>

#### Contrast Ratio

1,400:1

#### Dynamic Contrast Ratio

500,000:1

#### Viewing Angle (Horizontal/Vertical)

178°/178°

#### Operating Life

Approx.60,000 hours

(Backlight half-life)

#### Panel Surface Treatment

Anti-glare Treatment (Haze 10 %)

#### Connection Terminal

VIDEO In/AUDIO In (L/R)

BNC x 1, Pin Jack x 1 set (Shared with Component In)  
HDMI In  
HDMI Type A x 1  
COMPONENT In/AUDIO In (L/R)  
BNC x 1 set, Pin Jack x 1 set (Shared with Video In)  
DVI-D In  
DVI-D 24-pin x 1, Stereo Mini Jack (M3) x 1 (Shared with PC In)  
PC In/AUDIO In (L/R)  
Mini D-Sub 15-pin x 1, Stereo Mini Jack (M3) x 1 (Shared with DVI-D In)  
DVI-Out  
DVI-I 29-pin x 1, Pin Jack x 1 set  
Control  
Serial In/Out  
D-Sub 9-pin x 1/x 1, RS-232C Compatible  
LAN  
RJ45 x 1 (Web browser control only)  
IR Transmitter In/Out  
IR x 1/x 1  
Audio  
Speaker Out  
8  $\Omega$  20W (10 W + 10 W)  
Electrical  
Power Requirements  
110-127 V AC/220-240 V AC, 50/60 Hz  
Power Consumption  
220 W  
Power off Condition  
Approx. 0.3 W  
Stand-by Condition  
Approx. 0.5 W  
Mechanical  
Dimensions  
1,216 x 687 x 122 mm (47.9" x 27.1" x 4.8" )  
Weight (Approx.)  
36.0 kg (79.3 lbs)  
Bezel Width  
3.4 mm (0.14") [Left/Top], 1.9 mm (0.08") [Right/Bottom]  
Bezel to Bezel  
5.3 mm (0.21") [Multi Screen]  
Installation Requirement  
Orientation  
Landscape/Portrait  
Tilting Angle  
Vertical only\*  
Operation Environment  
Temperature  
0°C to 40°C (32°F to 104°F)  
Humidity (Non condensation)  
10 % to 90 %