

## Inteligentna Elektronika

Ul. Raduńska 36A  
83-333 Chmielno

Tel.: +48 730 90 60 90

E-mail: info@centrumprojekcji.pl



**Panasonic**  
ideas for life

Nazwa **Monitor Panasonic TH-65PF30U**

Cena **0,00 zł**

Producent **Panasonic**

## OPIS PRODUKTU

### Screen Size

64.7" (164.5 cm)

### Aspect Ratio

16:9

### Effective Viewing Field

56.4 x 31.7" (143.3 x 80.6 cm)

### Resolution

1920 x 1080 pixels (1 pixel = 3 cells for R,G, and B)

### Pixel Pitch (HxV)

0.03 x 0.03" (0.0747 x 0.0747 cm)

### Contrast Ratio

5,000,000:1

### Gradation

6,144 steps (equivalent)

### Panel Life

100,000 hrs

### 3D

Full HD 3D-Ready

### Input and Output Connectors

Video In: BNC X 1 1.0v [p-p] (75 ohms)

Component/RGB In: BNC X 3 Y/G: with sync 1.0V [p-p] (75 ohms), B/PB,/CB, R/PR/CR: 0.7 V [p-p] (75ohms)

Audio In (L/R): RCA pin jack x 1 set 0.5V [rms]

HDMI In: HDMI (Type-A) connector x 1

DVI-D In: DVI-D 24 pin x 1 (compliance with DVI revision 1.0 compatible with HDCP 1.1

PC In: HD/VD: 1.0 - 5.0V [p-p] (high impedance)

Audio In: M3 jack x 1 (0.5V rms)

SLOT 2.0 Function Slot: 1 (Vacant)

LAN: RJ-45 10 Base-T/100 BASE-TX (compatible with PJ Link)

Serial: D-SUB 9-pin x 1 (External Control Terminal), RS-232C Compatible

3D Shutter Out: M3 Jack x 1 (for 3D IR Transmitter)

DC 8V Out for 3D IR Transmitter: Center Plus for EIAJ 4.0 mm plug

Audio Output

16W (8W + 8W)

Total Harmonic Distortion (THD)

10%

Cabinet Color

Black

Remote Control

Remote Control Power Requirements: DC 3V (2 x AA Size batteries)

Remote Control Operation Distance: approx. 23.0' (7.0 m) in front of plasma display

Remote Control Weight: approx. 3.5 oz (100 g) including batteries

Operating Elevation

0 to 9100' (0 to 2800 m)

Storage Elevation

0 to 10,800' (0 to 3300 m)

Power Requirements

AC 110 - 127V, 50/60Hz

Power Consumption

Power Consumption: 555W

On Mode Average Power Consumption: T.B.D

Power Off Condition: 0.2W

Stand-By Condition Save-On: 0.4W

Stand-By Condition Save-Off: 0.7W

Certifications

Energy Star 5.0

CEC

Regulations

Safety: UL60065 CAN/CSA-22.2 No. 60065:03, NOM approval

Radiation: FCC Part 15 Class-B, ICES-003

Dimensions (WxHxD)

61.2 x 36.5 x 3.9" (155.4 x 92.5 x 9.9 cm)

Weight

Approx. 132.3 lb (60 kg)