
Inteligentna Elektronika

Ul. Raduńska 36A
83-333 Chmielno

Tel.: +48 730 90 60 90

E-mail: info@centrumprojekcji.pl

RICOH
imagine. change.



Nazwa **Projektor RICOH PJ WXL4540**

Cena **9 059,00 zł**

Producent **RICOH**

OPIS PRODUKTU

Specifications

System:

Single Chip DLP®

Resolution:

WXGA – 1280 x 800

Liquid Crystal Panel:

Size (Inch):

0.65"

Aspect Ratio:

16:10

White Light Output (Brightness):

3,200 lumens

Contrast Ratio:

Up to 13,000:1

Screen Size (Diagonal):

69.4 – 100"

Projector Mode:

Front, Front Ceiling, Rear, Rear Ceiling

Projection Distance (from rear of unit to projection surface):

0.78 – 1.12 m

Throw Ratio:

0.521

Light Source:

3.5 W Laser x 19 pcs

Colour Reproducibility:

1,073,000,000 Colours

Light Source Life:
Standard Mode:
20,000 hours

Eco Mode:
20,000 hours
Projection Lens:
Lens:
Fixed

Keystone:
Vertical: +/- 10 degrees

Shift/Method:
N/A

Zoom Ratio:
N/A

Zoom/Focus:
Fixed/Manual
Interface:
Input Signals:
NTSC, PAL, SECAM, HDTV, EDTV, SDTV

Input Interfaces:
HDMI x 2
VGA x 1
Composite x 1
RS232C x 1
Audio In x 1
Audio In R x 1/Audio In L x 1
Microphone x 1

Output Interfaces:
VGA x 1
Audio Out x 1

Network Interfaces:
N/A

Built-in Speaker:
10 W
Dimensions (WxDxH):
383 x 308 x 85 mm
Weight:
5.5 kg

Power Source:
100/240 V; 50 – 60 Hz
Power Consumption While Operating:
Standard Mode:
330 W

Eco Mode:
210 W

Standby Mode:

Less than 0.5 W

Storage & Transportation Environment:

Operational Temperatures:

41° to 104°F (5° to 40°C), 5% to 95% humidity (non-condensing)

Storage Temperatures:

-4° to 140°F (-20° to 60°C), 20% to 80% humidity (non-condensing)

Fan Noise:

Standard Mode:

36 dB or less

Eco Mode:

32 dB or less

Features:

AV Mute (Blank), Freeze, Re-size (Magnify), Keystone Correction, Digital Zoom, Wall Color Mode, Security Bar, Kensington Lock, User Logo, Eco Mode, 3D Projection Ready, Firmware Update (RS232C), High Altitude Mode, Tilt Adjustment Feet

Included with Projector:

CD-ROM with user manual, Quick Start Guide, RGB Cable, Power Cord, Lens Cap, Remote Control and batteries