

Inteligentna Elektronika

Ul. Raduńska 36A
83-333 Chmielno

Tel.: +48 730 90 60 90

E-mail: info@centrumprojekcji.pl



SAMSUNG

Nazwa **Monitor Dotykowy Samsung QM55B-T
(LH55QMBTBGCXEN)**

Cena **0,00 zł**

Producent **Samsung**

OPIS PRODUKTU

Panel

Diagonal Size

55"

Type

VA

Resolution

3840x2160(16:9)

Pixel Pitch(mm)

0.315 x 0.315

Active Display Area(mm)

1209.6(H) x 680.4(V)

Brightness(Typ.)

500 (without Glass) nit

Contrast Ratio

4000:1

Viewing Angle(H/V)

178/178

Color Gamut

92% (DCI-P3, CIE 1976)

Operation Hour

24/7

Haze

25% (without Glass)

Sound

Speaker Type

10W 2ch

Connectivity

Input

Video

DP 1.2 (1), HDMI 2.0 (3)

HDCP

HDCP2.2

USB

USB 2.0 x 2

Output

Audio

Stereo mini Jack

Usb

Touch out 2 (PC/screen)

External Control

RS232C(in/out), RJ45

BT/WiFi

Yes / Yes

Power

Power Supply

AC 100 - 240 V, 50/60 Hz

Power Consumption

Max[W/h]

143

Typical[W/h]

108

Sleep mode

less than 0.5W

Mechanical Specification

Dimension (mm)

Set

1253.8 x 734.6 x 56.7 mm

Package

1421 x 884 x 165 mm

Weight (kg)

Set

26.9 kg

Package

32.5 kg

VESA Mount (mm)

200 X 200

Bezel Width (mm)

26.0/26.0/21.0/21.0 (U/D/L/R)

Operation

Operating Temperature

0 ° ~ 40 °

Humidity

10 % ~ 80 %

Feature

Key Features

UHD Signage with Built-in MagicInfo S10, SSSP 10.0

Orientation

Landscape / Portrait

Remote Control

N/A

Special Features

H/W : Symmetric Design (same with QxR), Center IR, Temperature Sensor, Auto Level, Wi-Fi(2.4/5.0GHz dual) & BT S/W : Workspace (Microsoft365/VMWare/RDP), Custom Home, Auto Source Switching &

Recovery, Dicom Simulation Mode, Director Mode, Upgradable Web-Engine, Tizen Enterprise Platform, Video Conference Solution, [end of June~] Smart Calibration

Internal Player

Processor

Cortex A72 1.7GHz Quad-Core CPU

On-Chip Cache Memory

N/A

Clock Speed

N/A

Main Memory Interface

N/A

Graphics

N/A

Storage (FDM)

16 GB

Multimedia

N/A

IO Ports

N/A

Operating System

Tizen 6.5

Certification

Safety

60950-1 / 62368-1

EMC

Class B

IP Rating

IP5x

Security

802.1x(WPA2 Enterprise) : EAP-TLS, EAP-TTLS, EAP-PEAP

Accessory

Included

Quick Setup Guide, Warranty Card, Power Cord, RS232C(IN) Gender, Remote Controller & Batteries

Optional

Stand

STN-L4355G

Mount

WMN4070SG (Land Only) WMN750ME

Specialty

CML400XR

Media Player

Media Player

Media Player

N/A