

---

## Inteligentna Elektronika

Ul. Raduńska 36A  
83-333 Chmielno

Tel.: +48 730 90 60 90

E-mail: info@centrumprojekcji.pl

---

**SAMSUNG**



Nazwa **Monitor Samsung SMART Signage QM65H (LH65QMHPLGC/EN)**

Cena **0,00 zł**

Producent **Samsung**

---

## OPIS PRODUKTU

Panel

Diagonal Size 65"

Type 60Hz E-LED BLU

Resolution 3840\*2160 (4K UHD)

Pixel Pitch (mm) 0.105 x 0.315 (mm)

Active Display Area (mm) 1438.48(H) x 814.52(V)

Brightness (Typ.) 500 nit

Contrast Ratio 4000:1

Viewing Angle (H/V) 178/178

Response Time (G-to-G) 8ms (Typ)

Display Colors 16.7M (True Display) 1.07B (Dithered 10bit)

Color Gamut 72%

Haze 25%

Display

Dynamic C/R Mega

H-Scanning Frequency 30 ~ 81kHz

V-Scanning Frequency 48 ~ 75Hz

Maximum Pixel Frequency 594MHz

Sound

Speaker Type Built in Speaker (10W + 10W)

Connectivity

Input

RGBDVI-D, Display Port 1.2 (1)  
VideoHDMI 2.0 (2)  
HDCPHDCP2.2  
AudioStereo mini Jack, DVI, HDMI  
USBUSB 2.0 x 2  
Output  
RGBHDMI 2.0 (Loop-out)  
VideoN/A  
AudioStereo mini Jack  
Power OutN/A  
External ControlRS232C(in/out), RJ45  
External SensorIR  
TunerN/A  
Power  
TypeInternal  
Power SupplyAC 100 - 240 V~ (+/- 10 %), 50/60 Hz  
Power Consumption

Max[W/h]198  
Typical[W/h]125  
BTU(Max)N/A  
Sleep modeless than 0.5W  
Off modeless than 0.5W

Mechanical Specification  
Dimension (mm)  
Set1456.1 X 835.6 X 37.5  
Package1571 X 956 X 212  
Weight (kg)  
Set22.8  
Package32.4  
VESA Mount (mm)400x400  
Mounting HoleN/A  
Protection GlassN/A

Stand TypeFoot Stand (Optional)  
Media Player Option TypeN/A  
Bezel Width (mm)12.0/12.0/12.0

Operation  
Recommended Usage Hours24/7  
Operating Temperature 0.0 ~ 40.0  
Humidity 10.0 % ~ 80.0 %

Feature  
Key FeaturesUHD Signage Display Slim & Light Signage with Built-in MagicInfo S5, SSSP 5.0  
Special Features H/W : Temperature Sensor,Pivot Display, Clock Battery(168hrs Clock Keeping), Built in Speaker(10W 2ch), Video Wall Daisy Chain(HDCP2.2:4EA,HDCP1.4:7EA), IP5x, Wi-Fi/BT  
S/W : Auto Source Switching & Recovery, LFD Home UI, Button Lock, Hot key option, Plug&Play (Initial Setting)

Internal Player  
ProcessorCoretex A72 1.7GHz Quad-Core CPU  
On-Chip Cache MemoryL1 Instruction Cache : 48KB L1 Data Cache : 32KB L2 Cache : 2MB  
Clock Speed1.7GHz Quad-Core CPU  
Main Memory Interface3GB 3ch 64bit LPDDR4 1.6GHz  
Graphics2D & 3D Graphic Accelerator Data Format : 32bpp Output resolution : 3840x2160p  
Storage (FDM)8GB (3.88GB Occupied by O/S, 4.12GB Available)  
MultimediaVideo Decoder - MPEG 1/2/4, H.263, H.264/AVC - UHD H.264/AVC, VC-1, AVS/AVS+, MVC - VP8, VP9, HEVC, JPEG Audio DSP(Decoder) - MPEG, AC3, AC4, DD, MP3 and etc  
IO PortsUSB 2.0

Operating System Tizen 3.0 (VDLinux)

Certification

Safety 60950-1

EMC Class A

Accessory

Included Quick Setup Guide, Warranty Card, Power Cord, Remote Controller, Batteries

Optional

Stand STN-L6500E

Mount         WMN6575SD

Specialty CLM450D

Media Player

Media Player

Media Player SBB