


## Inteligentna Elektronika

Ul. Raduńska 36A  
83-333 Chmielno

Tel.: +48 730 90 60 90

E-mail: info@centrumprojekcji.pl



# SONY

Nazwa **Monitor Sony FWD-65A90J**

Cena **0,00 zł**

Producent **Sony**

## OPIS PRODUKTU

### Dane techniczne

#### Display features

Display type OLED

#### Display specifications

Screen Size for WEB(diagonal, cm, integer or 1st decimal) 164 cm

Display resolution (H x V, pixels) 3840 x 2160

Screen Size (inch, measured diagonally) 65"(64.5")

Viewing Angle (Right/Left) 178(89/89) degree

Viewing Angle (Up/Down) 178(89/89) degree

Display Resolution QFHD

Aspect Ratio 16:09

#### Professional features

HDMI Auto Wake Up No

Compatible with TDM Digital Signage/ TEOS Solutions No

Operating System Android 10

On-board Storage (GB) 16GB

#### Display system

TV System (Digital Terrestrial) DVB-T/T2

TV System (Digital Cable) DVB-C

TV System (Digital Sat) DVB-S/S2

Number of Tuners (Terrestrial/Cable) 2(Digital)/1(Analog)

Number of Tuners (Sat) 2

#### Network features

Apple AirPlay Yes

Wi-Fi Direct Yes

Wi-Fi Certified Yes

Chromecast built-inYes

Internet BrowserVewd

Wireless LANIntegrated

Convenience features

USB playback codecsMPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC/MP4(XAVC S): AVC,MPEG4,HEVC/AVI: Xvid,MotinJpeg/ASF(WMV): VC1/MOV: AVC,MPEG4,MotionJpeg/MKV: Xvid,AVC,MPEG4,VP8.

HEVC/WEBM:VP8/3GPP:MPEG4,AVC/MP3/ASF(WMA)/LPCM/WAV/MP4AAC/FLAC/JPEG

WEBM:VP9/AC4/ogg/AAC/ARW(Screen nail only)

HDMI-CECYes

i-ManualYes

On Screen ClockYes

Sleep TimerYes

On/Off TimerYes

Display LanguageAFR,AMH,ARA,ASM,AZE,BEL,BUL,BEN,BOS,CAT,CZE,DAN,DEU,GRE,ENG,SPA,EST,BAQ,PER,FIN,FRA,GLG,GUJ,HIN,HRV,HUN,IND,ISL,ITA,HEB,JPN,KAZ,KAN,KOR,KIR,LAO,LIT,LAV,MAC,MAL,MON,MA R,MAY,BUR,NOB,NEP,NLD,ORI,PAN,POL,POR,RUM,RUS,SOL,SLV,ALB,SRP,SWE, SWA,TAM,TEL,THA,TGL,TUR,UKR,URD,UZB,VIE,zh\_CN,zh\_HK,zh\_TW,ZUL

Control specs

IP ControlYes (Authentication required)

Pro ModeNo

Inputs & outputs

HDMI Signal4096x2160p(24,50,60Hz), 3840x2160p(24,25,30,50,60,100,120Hz) \*1 , 1080p(30,50,60,100,120Hz), 1080/24p, 1080i(50,60Hz), 720p(30,50,60Hz), 720/24p, 576p, 480p

HDCPHDCP2.3(for HDMI1/2/3/4)

AC Power InputC18 INLET(REAR)

RF (Terrestrial/Cable) Connection Input(s)1(Bottom)

IF (Satellite) Input(s)2(Bottom)

Composite Video Input(s)Hybrid w/S-Center Speaker Input x1(Side, Mini jack)

HDMI inputs total4(1Side,3Bottom)

Digital Audio Output(s)1 (Bottom)

Audio Output(s)No

Headphone Output(s)1(side)

Ethernet inputs1(Bottom)

PCMCIA Slot(s)1(Side)

Audio specifications

Speaker PositionFront

Audio Power Output20W + 20W + 10W + 10W

Digital audio out (Optical) formatTwo channel linear PCM: 48kHz 16bits, Dolby Audio, DTS

HDMI Audio Return Channel(ARC)Yes (eARC/ARC)

HDMI input Audio format5.1 channel linear PCM: 32/44.1/48/88.2/96/176.4/192kHz 16/20/24bits, Dolby Audio, Dolby Atmos, DTS

ARC output formatTwo channel linear PCM: 48kHz 16bits, Dolby Audio, Dolby Atmos, DTS

Video specifications

Wide ModeWide zoom/Normal/Full/Zoom/14:9 Normal/Full1/Full2 for PC

4:3 DefaultYes

Video ProcessingXR 4K Upscaling

Motion enhancerXR Motion Clarity, Auto mode

4K ProcessorCognitive Processor XR

HDR (High Dynamic Range) compatibilityYes(HDR10,HLG,Dolby Vision)

Panel Refresh Rate (Native Hertz)100Hz

Dynamic Contrast EnhancerYes

Design features

Stand Position2way position(Standard position/Soundbar position)

Stand ColorTitanium Black

Bezel DesignSeamless Edge

Cable ManagementYes

Frame colorTitanium Black

Stand DesignAluminum Edge Stand

VESA® Hole Spacing CompatibleYes

VESA® Hole Pitch(W x H)30.0 x 30.0 cm

Eco & energy saving

On mode power 1000h SDR(New lot5)138 kWh/1000h

Mercury content(mg)0.0

Power Requirements (frequency)50Hz

Rated Power Consumption532 W

Power Consumption (in Standby)0.50 W

Power Requirements (voltage)220 V - 240 V AC

Power consumption(Networked Standby)2.00W(Wi-Fi) / 2.00W(LAN) / 0.50W(CEC)

Power Saving Mode / Back Light Off ModeYes

Dimensions

Display Only (W x H x D)Approx. 144.4 x 83.3 x 4.1(0.56) cm

Display with Stand (W x H x D)Approx. 150.2 x 83.4 x 31.7 cm

Package Carton (W x H x D)Approx. 159.4 x 95.9 x 18.0 cm

Weights (Approx.)

Display OnlyApprox. 22.5 kg

Display with StandApprox. 24.6 kg

Package Carton(Gross)Approx. 34 kg

Supplied accessories

Voice Remote ControlRMF-TX621E

BatteriesLR03

AC Power Cord SpecBundle (C17) (EUROPE) (2pin) (round pins Type B) + Bundle (C17) (SWISS) (2pin) (round pins Type C)

Operating InstructionsGB,FR,ES,NL,DE,PT,IT,SE,DK,FI,NO,PL,CZ,SK,HU,RO,BG,GR,TR,RU,UA,AR

Quick Setup Guide / Supplement CUE

(GA)GB,FR,ES,NL,DE,PT,IT,DK,NO,SE,FI,PL,CZ,SK,HU,RO,BG,GR,TR,RU,UA,AR

Table Top StandSeparate(assembly required)

Optional accessories

Wallmount BracketSU-WL450(Terminal access limitation, refer to SU-WL450 product page), SU-WL850(Refer to Country/Area Handling Chart)

PrimeSupport

Included PrimeSupport3 Years warranty with Repair or if necessary advanced exchange handled by local partner, on premise where possible.

Optional PrimeSupport ExtensionsOptional 2-year support extension available: PSP.FWD65A90J.2X

Notes

\*1100Hz and 120Hz is supported by HDMI IN 2, IN 3 and IN 4