

Inteligentna Elektronika

Ul. Raduńska 36A
83-333 Chmielno

Tel.: +48 730 90 60 90

E-mail: info@centrumprojekcji.pl



ViewSonic
See the difference™ 

Nazwa

Dyskretny cienki klient ViewSonic discrete thin client with Intel Bay Trail CPU and Windows 7 Pro SC-T47

Cena

0,00 zł

Producent

ViewSonic

OPIS PRODUKTU

GENERAL

Regulations

FCC(ICES003)/CB/CE EMC/CE R&TTE, ENERGY STAR ® , EPEAT Silver, WEEE, RoHS Compliant, REACH Compliant

Recycle/Disposal

Please dispose of in accordance with local, state, or federal laws

Warranty

3-year limited warranty on parts, labor and backlight

PACKAGE CONTENTS

SC-T47 thin client, power cord, power adapter, DVI-I to VGA adapter, stand / VESA mounting bracket,

Quick Start Guide, ViewSonic Wizard CD

Optional Accessories (sold separately)

USB Keyboard & Mouse (VMP10B_KM1US05)

CORE

CPU Processor Type

Intel Bay Trail Quad-core J1900

CPU Processor Speed

2.0 GHz

GRAPHICS

Graphic Chipset

Integrated

Resolution

1920 x 1200 or 1920 x 1080

MEMORY

System

DDR3 4GB @ 1333 MHz

Storage

8GB

SOFTWARE

Operating System

Windows 7 Professional

Management

ViewSonic Device Manager / ViewSonic Client Setup

Protocols

Microsoft RDP (8.0), Citrix ICA/HDX, VMware PCoIP

Network Standard

Gigabit Ethernet, DHCP, SSL, PPPoE, Wake on LAN

COMMUNICATION

Ethernet LAN

10/100/1000 MB

Wireless LAN

802.11a/b/g/n

CONNECTOR

USB

USB 2.0 (x4), USB 3.0 (x1)

Video Out

DVI-D, DVI-I (x3)

LAN

RJ45, WiFi 802.11 a/b/g/n

Microphone In

3.5mm mini jack (x1)

Headphone

3.5mm mini jack (x1)

Power

DC In

POWER

Voltage

12V DC; 3A

Consumption

18W (typ)

OPERATING CONDITIONS

Temperature

32–95° F (0–35° C)

Humidity

10–90% (non-condensing)

DIMENSIONS (WxHxD)

Physical with Stand

7.9 x 7.8 x 3.8 in. / 200.7 x 198.1 x 96.5 mm

Packaging

10.1 x 8.6 x 4.6 in. / 256.5 x 218.4 x 116.8 mm

WEIGHT

Net

2.4 lbs / 1.09 kg

Gross

3.9 lbs / 1.77 kg

WALL MOUNT

VESA

100 x 100 mm