


Inteligentna Elektronika

Ul. Raduńska 36A
83-333 Chmielno

Tel.: +48 730 90 60 90

E-mail: info@centrumprojekcji.pl



Nazwa

**Monitor interaktywny ViewSonic
ViewBoard IFP9850-4**

Cena

0,00 zł

Producent

ViewSonic

OPIS PRODUKTU

Display

Panel Size: 98"

Panel Type: TFT LCD Module with DLED Backlight

Display Area (mm): 2171.85(H) x 1232.35(V) (97.52"diagonal)

Aspect Ratio: 16:9

Resolution: UHD 3840x2160(Pixels)

Colors: 1.07B colors (10bit)

Brightness: 350 nits (typ.)

Contrast Ratio: DCR: 3000:1

Response Time: 8ms(TYP.)

Viewing Angles: H = 178, V = 178typ.

Backlight Life: 30,000 Hours (Min)

Surface Treatment: Anti-glare

Platform

Processor: ARM Cortex A73*4

RAM: 4GB DDR4

Storage: 32GB

Touch

Type/ Tech: Ultra fine touch technology

Touch Resolution: 32768 x32768

Touch Point: 20 points touch, 10 points writing

INPUT

HDMI: HDMI 2.0 x3 (3840x2160 @60Hz)

RGB / VGA: x 1

Audio: x 1

RS232: x 1

OPS: X1 PC Slot

WiFi: x 1 WiFi Slot

OUTPUT

HDMI: HDMI out 2.0 x1 (3840x2160 @60Hz)

Audio: 3.5mm * 1

SPDIF: x1

LAN

RJ45: x2

USB

Type A: USB2.0 x 1 USB3.0 x 4

Type B: x2, for touch

Type C: x1

SPEAKERS

16Wx2

Top Camera Plate

YES

COMPATIBILITY

RGB PC/HDMI PC: 1920x1080

HDMI: 4K 60Hz/30Hz/1080p

Embedded OS

Android 9

Bundle Software

Basic Annotation Software: myViewBoard for android

Pro Annotation Software: myViewBoard for windows (Embedded in Windows Slot-in PC)

Wireless Presentation: Viewboard Cast

Special Features

All-in-one USB port: Front "SmartPort USB" to all channels.

Simple LAN sharing between IFP and slot-in device: Yes

Light Sensor: Yes

Power

Voltage: 100-240VAC +/- 10% Wide Range

Consumption: On mode: 192.5W, Off mode < 0.5W

ERGONOMICS

Wall Mount (VESA®): 800*600

OPERATING CONDITIONS

Temperature (° C): 0°C to 40°C

Humidity: 10% ~ 90% RH non-condensing

DIMENSIONS (W x H x D)

Physical (inch / mm): 88.4 x 52.1 x 3.6 in / 2245 x 1323 x 91 mm

Packaging (inch / mm): 95.9 x 58.8 x 13.6 in / 2435 x 1483 x 346 mm

WEIGHT

Net (lb / kg): 228.4lb / 103.6kg

Gross (lb / kg): 293.7lb / 133.2kg

REGULATIONS

FCC, cTUVus, EPEAT, ES8, LBL, CE, CB, RCM

PACKAGE CONTENTS

1. Power cord
 2. Remote control with AAA battery
 3. USB cable for touch
 4. Touch pen x 2
 5. Quick Start Guide
 6. RS232 adapter
 7. Clamp x 5
 8. Camera plate
 9. Screw x 8
 10. HDMI cable
 11. USB Typc-C cable
- Compatible Slot-in PC

VPC12-WPO series/VPC25-O series/VPC27-O series