


Inteligentna Elektronika

Ul. Raduńska 36A
83-333 Chmielno

Tel.: +48 730 90 60 90

E-mail: info@centrumprojekcji.pl



ViewSonic
See the difference™

Nazwa **Monitor ViewSonic CDE3205-EP**

Cena **0,00 zł**

Producent **ViewSonic**

OPIS PRODUKTU

PARAMETRY:

LCD PANEL

Panel Size: 32"

Type/ Tech: TFT LCD Module with LED Backlight

Display Area (mm): 698.4 (H) x 392.85 (V)

Aspect Ratio: 16:09

Resolution: 1920 x 1080

Colors: 16.7M colors

Brightness: 350 nits (typ.)

Contrast Ratio: 1200:1 (typ.)

Response Time: 8 ms

Viewing Angles: H = 178, V = 178 (typ.)

Backlight: WLED

Backlight Life: 30,000 Hours Min.

Hardness: 3H

INPUT

HDMI: x 1

RGB / VGA: x 1

DVI: x 1

Audio: x1 PC audio (3.5 mm), x 1 (RCA L/R)

CVBS (AV): x 1 (Share with Y)

YPbPr: x 1

RS232: x 1

IR: x 1 (over audio port)

OUTPUT

Audio: x 1 (RCA L/R)

RS232: x 1

IR: x 1 (over audio port)

LAN

RJ45: x 1

USB

2.0 Type A: x 1 (USB Playback)

SPEAKERS

10W x 2

COMPATIBILITY

VGA: Up to 1920 x 1080

DVI: Up to 1920 x 1080

HDMI: 480i, 480p, 720p, 1080i, 1080p

CVBS: 480i

YPbPr: 480i, 480p, 720p, 1080i, 1080p

POWER

Voltage: 100-240 VAC +/- 10% Wide Range, 50-60Hz +/-3 Hz

Consumption: Normal 57 W, Max 81 W

ERGONOMICS

Wall Mount (VESA®): 100x100mm / 200x200mm ; Screw: M4*8 mm

OPERATING CONDITIONS

Temperature (° C): 5°C to 40°C

Humidity: 20% ~ 80% non-condensing

DIMENSIONS (W X H X D)

Physical (mm / inch): 726.5 x 462.93 x 239.8 mm / 28.6 x 18.23 x 9.44 in. (with Stand)

Physical w/o Stand (mm / inch): 726.5 x 425.4 x 63.6 mm / 28.6 x 16.75 x 2.5 inch

Packaging (mm / inch): 818 x 547 x 139 mm / 32.2 x 21.54 x 5.47 inch

WEIGHT

Net (kg / lb): 6.67 kg / 14.7 lbs (with Stand)

Net w/o Stand (kg / lb): 5.20 kg / 11.46 lbs

Gross (kg / lb): 7.8 kg / 17.20 lbs

REGULATIONS

Standard: CE, CB, RoHS, ErP, WEEE

WHAT'S IN THE BOX?

1. CDE3205-EP commercial display
2. Remote Control with batteries
3. User manual CD wizard
4. Quick Start Guide
5. Power Cables
6. VGA cable
7. RS232 cable
8. RS232 daisy chain cable (2.4mm – 2.4mm)
9. IR sensor cable