

## Inteligentna Elektronika

Ul. Raduńska 36A  
83-333 Chmielno

Tel.: +48 730 90 60 90

E-mail: info@centrumprojekcji.pl



**ViewSonic**  
See the difference™

Nazwa **Projektor VIEWSONIC PG707X**

Cena **0,00 zł**

Producent **ViewSonic**

## OPIS PRODUKTU

### RESOLUTION

1024 x 768

### THROW RATIO

1.51-1.97

### THROW DISTANCE

3.0 - 39.4 ft / .9 - 12.0 m

### BRIGHTNESS (LUMENS)

4,000 ANSI

### DISPLAY

#### TYPE

DLP Lamp

#### RESOLUTION TYPE

XGA (1024x768)

### RESOLUTION

1024 x 768

### BRIGHTNESS (LUMENS)

4,000 ANSI

### DISPLAY SIZE (IN.)

30 - 300 in. / 0.76 - 7.62 m

### THROW DISTANCE

3.0 - 39.4 ft / .9 - 12.0 m

### THROW RATIO

1.51-1.97

### KEystone

Vertical ( $\pm 40^\circ$ ) / Horizontal ( $\pm 40^\circ$ )

### LENS

1.3x optical zoom

### LIGHT SOURCE (WATT)

203

### LIGHT SOURCE LIFE, NORMAL (HOURS)

6000

### LIGHT SOURCE LIFE, DYNAMIC ECO-MODE (HOURS)

20000

COLOR DEPTH

1.07 Billion Colors

DYNAMIC CONTRAST RATIO

22,000:1

ASPECT RATIO

4:3

VIDEO SIGNAL

FREQUENCY HORIZONTAL

15K~105KHz

COMPATIBILITY

PC RESOLUTION (MAX)

1920 x 1080

PC RESOLUTION (MIN)

640 x 480

MAC® RESOLUTION (MAX)

1920 x 1080

MAC® RESOLUTION (MIN)

640 x 480

CONNECTOR

USB 2.0 TYPE A

1

ETHERNET LAN (RJ45)

1

3.5MM AUDIO OUT

1

3.5MM AUDIO IN

1

CONTROL (RS232)

1

HDMI 1.4 (WITH HDCP 1.4)

2

VGA IN

1

VGA OUT

1

COMPOSITE RCA VIDEO IN

1

AUDIO

INTERNAL SPEAKERS

10W (x1)

POWER

VOLTAGE

100-240V+/- 10%, 50/60Hz AC

CONSUMPTION (TYPICAL)

280W

STAND-BY

<0.5W

CONTROLS

PHYSICAL CONTROLS

Keypad, Power key

ON SCREEN DISPLAY

Display, Image, Power Management, Basic, Advanced, System, Information (See user guide for full OSD functionality)

OPERATING CONDITIONS

TEMPERATURE

32-104° F (0 - 40° C)

ADDITIONAL HARDWARE

KENSINGTON LOCK SLOT

1

WEIGHT (IMPERIAL)

NET (LBS)

5.3

GROSS (LBS)

7.5

WEIGHT (METRIC)

NET (KG)

2.4

GROSS (KG)

3.6

DIMENSIONS (IMPERIAL) (WXHxD)

PACKAGING (IN.)

16.3 x 6.6 x 11.7

PHYSICAL (IN.)

11.6 x 8.6 x 4.3

DIMENSIONS (METRIC) (WXHxD)

PACKAGING (MM)

415.0 x 168.0 x 297.0

PHYSICAL (MM)

294.0 x 218.0 x 110.0

GENERAL

REGULATIONS

cTUVus

PACKAGE CONTENTS

PG707X projector, power cable, VGA cable, remote control, Quick Start Guide,

WARRANTY

Three-year limited warranty on parts and labor, 1-year limited warranty on lamp, 1st year free Express Exchange® service. (One year Express Exchange Service requires product registration).

RECYCLE/DISPOSAL

Please dispose of in accordance with local, state or federal laws.